E COPLIN FABRICATION LLC





Mini Skid Steer and Compact Tractor Attachments



LOFLIN FABRICATION

oflin Fabrication LLC began in 1993 as two guys doing favors for a few friends. Greg Loflin and Terry Ferrell worked in a local factory and used skid steers in their spare time. Both men had developed welding, mechanical, and engineering knowledge – not only from working in manufacturing, but from their hobbies and outside activities as well. These guys came from families of farmers and contractors – they understood the need for a quality product at a fair price.

The business started in a 3000 square foot "hand made" metal building constructed behind Greg's house. He and Terry worked weekends welding it together. The frame of the building was erected from scrapped metal

furniture racks. A few prototypes of various attachments were completed and given to friends that worked this equipment. Research and development came through feedback from people who actually use the products. They immediately developed a reputation for exceptional workmanship and quick delivery. Advertising came by word of mouth.

Loflin Fabrication has maintained focus on quality and value – no compromise...no exception! The business expanded from a couple of welding machines to a 140,000 square foot manufacturing facility with the state of the art equipment required to meet customer demands and expectations. Laser and plasma cutters, robotic welders, and a

complete machine shop – are just part of what it takes to remain an industry leader! Extensive use of fixtures and jigs help insure quality in the manufacturing process. Using feedback from customers constantly looking to improve productivity and job cost, research and development has continued to center on industry demand!

Keeping overhead low and in-house manufacturing have been two major keys to the success of this business. Another key, our workforce! Local people that are proud of what they build!

A large inventory of attachments are kept in stock to assure quick delivery. The dealership

base is constantly increasing. For more information about the full line of attachments and for the dealer nearest you, check our web page www.loflinfabrication.com or call toll free 1-866-859-4333.

Loflin Fabrication skid steer attachments fit all popular skid steer loaders and we can custom build equipment to your specifications.

NEW DEALER INQUIRIES WELCOME!

















CONTENTS

MINI/COMPACT TRACTOR GRAPPLES
Root Grapple - Single Tine4
Compact Tractor Root Grapple - Double Tine 5
Mini Skid Steer & Compact Tractor
Grapple Bucket - Single Tine
Rock Bucket Grapple - Single Tine8 Compact Tractor Rock Bucket Grapple -
Double Tine9
Mini Skid Steer & Compact Tractor
Vertical Root Grapple - Double Tine 10
Compact Tractor Vertical Root Grapple - Double Tine 11
MINI/COMPACT TRACTOR BUCKETS 12
Mini Skid Steer & Compact Tractor Rock Bucket · · · 13
Mini Skid Steer & Compact Tractor Stump Bucket •14
Mini Skid Steer & Compact Tractor-
Low Profile Bucket······15
Mini Skid Steer & Compact Tractor-
4-N-1 Bucket 16


Mini Skid Steer & Compact Tractor- Front Dump Bucket················17 Mini Skid Steer & Compact Tractor- Snow & Litter Bucket ···········18
MINI BRUSH CUTTERS
Mini Skid Steer Brush Cutter 20
Mini Excavator Brush Cutter 21
CDECIAL MINI/COMPACT TRACTOR ATTACHMENTS
SPECIAL MINI/COMPACT TRACTOR ATTACHMENTS
Mini Skid Steer Auger23
Mini Skid Steer Fork Frame24
Compact Tractor Fork Frame25
Compact Tractor Fork Frame·····25 Mini Skid Steer Land Plane ····26
Compact Tractor Fork Frame

MINI/COMPACT TRACTOR GRAPPLES










MINI SKID STEER & COMPACT TRACTOR ROOT GRAPPLE

34.136 39.122 29.144

- Powder coated finish for durability
- Allows dirt to fall through
- 2" X 10" cylinder
- 3/8" thick steel top tine
- Reinforced quick attach
- Fully protected hoses
- Covered hydraulic cylinder
- Fully greasable hinge points
- Opening width: 34"
- Able to slide along top of the ground without digging in (avoiding underground damage)
- This is the original, not an imitation
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- $4\frac{1}{16}$ " to $7\frac{7}{16}$ " tine spacing and custom spacing available
- We stock sizes: 36", 42", and 48" for mini skid steer, Toro Dingo and Bobcat MT50 mount, custom sizes and mounts available
- Can be built to fit compact tractors

COMPACT TRACTOR ROOT GRAPPLE


- Powder coated finish for durability
- 2"X 8" AG cylinders
- Independent grapple tines, for grappling uneven loads
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- 3/8" thick steel bottom tines
- Quick attach
- Greasable pivot points
- Opening width: 28"
- 40 HP and below machines
- Dual ¾" thick grapples
- We stock sizes: 60", 66", and 72"
- 8½" to 9" spacing between tines




B COPLINE SERIESTION LLC

Toll Free: 1-866-859-4333 Visit Us Online: www.loflinfabrication.com






MINI SKID STEER & COMPACT TRACTOR GRAPPLE BUCKET



- Powder coated finish for durability
- 2" X 10" cylinder
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- 3/8" thick steel top tine
- Reinforced quick attach
- Fully protected hoses
- Covered hydraulic cylinderOpening width: 36½"
- Comes with $\frac{1}{2}$ " thick X 4" wide cutting edge
- 3/16" thick reinforced steel bottom
- Bolt-on reversible double edge standard
- We stock sizes: 36", 42", and 48" for mini skid steer, Toro Dingo and Bobcat MT50 mount, custom sizes and mount available
- Can be built to fit compact tractors

COMPACT TRACTOR GRAPPLE BUCKET

- Powder coated finish for durability
- 2"X 8" AG cylinders
- Independent grapple tines, for grappling uneven loads
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- Quick attach
- Greasable pivot points
- Opening width: 30"
- Comes with ½" thick X 6" wide cutting edge
- 40 HP and below machines
- ¾6" thick steel bottom and back
- Dual ¾" thick grapples
- We stock sizes: 60", 66", and 72"





Toll Free: 1-866-859-4333 Visit Us Online: www.loflinfabrication.com






MINI SKID STEER & COMPACT TRACTOR ROCK BUCKET GRAPPLE

SINGLE TINE 36.341 33.443-

- Powder coated finish for durability
- Allows dirt to fall through (great for sifting and sorting material)
- Constructed from ¾" thick steel
- 3³/₈" tine spacing and wider spacing available (no less than 3")
- Greasable pins
- Opening width: 36"
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- Single grapple tine
- Available with Toro Dingo, Bobcat MT50, 52, 55, S70, and RC30 mounts

COMPACT TRACTOR ROCK BUCKET GRAPPLE


- Powder coated finish for durability
- Allows dirt to fall through (great for sifting and sorting material)
- Constructed from ¾" thick steel
- 33/8" tine spacing and wider spacing available (no less than 3")
- Greasable pins
- Opening width: 361/2"
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- Independent grapple tines, for grappling uneven loads







MINI SKID STEER & COMPACT TRACTOR VERTICAL ROOT GRAPPLE




Powder coated finish for durability

- Works like a rake, allows dirt to fall through
- Has 2" X 8" hydraulic cylinders
- Independent grapple tines
- 3/8" thick steel tines
- Fully protected hoses
- Fully greasable hinge points
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- Opening width: 33"
- Available in 36", 42" and 48" custom sizes also available
- Available with Toro Dingo and Bobcat MT50 mount
- Can be built to fit compact tractors

COMPACT TRACTOR VERTICAL ROOT GRAPPLE

Powder coated finish for durability

- Works like a rake, allows dirt to fall through
- Has 2" X 8" hydraulic cylinders
- Independent grapple tines
- 3/8" thick steel tines
- Fully protected hoses
- Fully greasable hinge points
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- Opening width: 331/4"
- Tine spacing range from 9"-12"
- We stock sizes: 60", 66", and 72"
- Custom sizes also available





Toll Free: 1-866-859-4333 Visit Us Online: www.loflinfabrication.com





MINI/COMPACT TRACTOR BUCKETS



MINI SKID STEER & COMPACT TRACTOR ROCK BUCKET

- Powder coated finish for durability
- Allows dirt to fall through (great for sifting and sorting material)
- Constructed from 3/8" thick steel
- 35%" tine spacing and custom spacing available (no less than 3")
- Treaded step
- We stock sizes: 36", 42", and 48"
- Stocked with Toro Dingo and Bobcat MT50 mount
- Can be built to fit compact tractor
- Other custom mounts are available






MINI SKID STEER & COMPACT TRACTOR STUMP BUCKET

- Powder coated finish for durability
- ½" thick X 6" wide cutting edge
- 3 replaceable teeth (Pengo 2300 Series)
- 3/8" thick sides and 1/4" thick bottom
- 40 HP and below machines
- Available with Toro Dingo and Bobcat MT50 mount
- Can be built to fit compact tractor
- Other custom mounts available

MINI SKID STEER & COMPACT TRACTOR LOW PROFILE BUCKET

- Powder coated finish for durability
- 3/16" thick sides
- $\frac{3}{16}$ " thick bottom with $\frac{1}{2}$ " wear bars for reinforcement
- ½" thick X 4" wide cutting edge
- We stock sizes: 36", 42", 48", and custom sizes also available
- Available with or without teeth
- Available with optional bolt-on edge
- 50 HP and below
- Treaded step
- Stocked with Toro Dingo and Bobcat MT50 mount
- Other custom mounts are available



Toll Free: 1-866-859-4333



MINI SKID STEER & COMPACT TRACTOR 4-N-1 BUCKET


17.122 30.435 4.000 .500 22.686

Powder coated finish for durability


- Two 2" X 6" hydraulic cylinders
- Oversized, greasable pins
- Opening width: 301/16"
- ¼" thick steel side plate
- Front cutting edge ½" thick X 4" wide, rear cutting edge (dozing edge) ½" thick X 4" wide heat treated edge
- Also available with optional front bolt-on-edge
- Available with or without teeth
- Available with or without tooth bar
- ¼" thick reinforced steel floor plate
- We stock sizes: 36", 42", and 48", custom sizes available
- Reinforced guick attach
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- Stocked with Toro Dingo and Bobcat MT50 mount
- Can be built to fit compact tractors
- Other custom mounts available

MINI SKID STEER & COMPACT TRACTOR FRONT DUMP BUCKET


- Powder coated finish for durability
- The ability to load into taller trucks
- This bucket gains approximately 19" of height and 21½" of reach over standard buckets
- Equipped with 2" X 6" hydraulic cylinder
- Oversized, greasable 1¼" pins
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- Available with optional bolt-on reversible double edge
- ½" thick X 4" wide cutting edge
- Available with Toro Dingo, Bobcat MT50, 52,
 55, S70, and RC30 mounts
- We stock sizes: 36", 44", and 50", custom sizes also available







MINI SKID STEER & COMPACT TRACTOR SNOW & LITTER BUCKET




- 3/16" sides
- 3/16" thick bottom with wear bars for reinforcement
- Reinforced back
- ½" thick X 4" wide cutting edge
- Large capacity for light materials
- Available with optional bolt-on reversible double edge
- Treaded step
- ½" wear bars
- ¾" side edges
- Available in sizes: 42", 44", and 48", custom sizes also available
- Available with Toro Dingo and Bobcat MT5O mount
- Can be built to fit compact tractors

MINI BRUSH CUTTERS









MINI SKID STEER BRUSH CUTTER

44.000


- Powder coated finish for durability
- Proprietary drive
- 1 piece heat treated forged steel axle
- The housing is a 1 piece iron casting
- 2 oversized tapered roller bearings
- Roller bearings are grease packed for no oil leaks
- Lower grease seal is wire protected
- Direct drive, no gears



- Geroller style hydraulic motor in varying displacements for optimal cutting tip speed
- Hydraulic pressure relief in both directions of rotation
- Unit is bi-directional
- One piece forged steel fully heat treated bi-directional blades
- Uses common rotary cutter blade, bolts and
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- Motor/drive assembly is fully enclosed for protection
- 3/16" thick reinforced steel deck
- Comes in 3 sizes: 36", 42", and 50"
- Reinforced quick attach
- Units available for both low and high flow
- Stocked with Toro Dingo and Bobcat MT50 mount
- Other custom mounts are available

MINI EXCAVATOR BRUSH CUTTER

- Powder coated finish for durability
- Proprietary drive
- 1 piece heat treated forged steel axle
- The housing is a 1 piece iron casting
- 2 oversized tapered roller bearings
- Roller bearings are grease packed for no oil leaks
- Lower grease seal is wire protected
- Direct drive, no gears
- Geroller style hydraulic motor in varying displacements for optimal cutting tip speed
- Hydraulic pressure relief in both directions of rotation
- Unit is bi-directional
- One piece forged steel fully heat treated bidirectional blades
- Uses common rotary cutter blade, bolts and nuts
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- Motor/drive assembly is fully enclosed for protection



- ¾16" thick reinforced steel deck
- Comes in 3 sizes: 36", 42", and 50"
- Units available for both low and high flow machines
- Stocked with a blank mount plate

Toll Free: 1-866-859-4333 Visit Us Online: www.loflinfabrication.com












MINI SKID STEER AUGER

- Powder coated finish for durability
- Auburn planetary drive
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- Industry standard 2" hex output shaft
- Bits are available and in stock from 4" to 48" in diameter
- GPM Flow 6-40
- Available with Toro Dingo, Bobcat MT50, 52, 55, S70, and RC30 mounts






MINI SKID STEER FORK FRAME

36.000 32.268 15.938

- Powder coated finish for durability
- Standard class 2 pallet forks
- CNC machined carriage bar with 3 locking locations for a quality fit
- Thin frame design for greater lift capacity, moves load center closer to machine for more load stability and control
- Forks are available in 36", 42", and 48"
- Custom logo available in back grill (10 piece minimum)
- Stocked with Toro Dingo and Bobcat MT50 mount
- Other custom mounts are available

COMPACT TRACTOR FORK FRAME

- Powder coated finish for durability
- Standard class 2 pallet forks
- CNC plasma cut flat bar with 3 locking locations for a quality fit
- Thin frame design for greater lift capacity, moves load center closer to machine for more load stability and control
- Forks are available in 36", 42", and 48"
- Available with optional steps
- Custom logo available in back grill (10 piece minimum)








MINI SKID STEER LAND PLANE

49.000

- Powder coated finish for durability
- ½" thick X 4" wide cutting edge
- 3%" thick frame
- 3" X 3" square steel tubing
- Available in 49", custom sizes available
- Available with Toro Dingo and Bobcat MT50 mount

MINI SKID STEER DOZER BLADE


- Powder coated finish for durability
- Reversible 5%" thick X 6" wide bolt on edge
- 1 ½" X 10" rubber cutting edge also available
- 17" tall X 48" wide scrape blade
- 2" bore, 10" stroke hydraulic pivot cylinder
- Comes equipped with Parker brand hoses, fittings, and couplers (Jobsite ready)
- We stock size: 48"
- Stocked with Toro Dingo and Bobcat MT50 mount
- Other custom mounts are available








MINI SKID STEER REESE HITCH ADAPTER



- Powder coated finish for durability
- 2" industry standard hitch receiver
- Makes moving and parking your trailer easy
- Available with Toro Dingo, Bobcat MT5O, 52, 55, S7O, and RC3O mounts


MINI SKID STEER TREE BOOM

- Powder coated finish for durability
- Constructed out of 3" X 3" square steel tubing
- 2,500 lb lifting capacity
- 55 ½" tall (custom sizes available)
- Stocked with Toro Dingo and Bobcat MT50 mount
- Other custom mounts are available





COMPACT TRACTOR HAY SPEAR



30

- Powder coated finish for durability
- 40" spear
- Replaceable main spear
- Custom multi tine/configuration spears available
- Constructed of 3" square steel tubing
- 3,000 lbs of lifting capacity

ONE YEAR LIMITED WARRANTY

Loflin Fabrication, LLC, hereinafter referred to as LOFLIN, a manufacturer of quality machinery since 1996, warrants new LOFLIN machinery and/or attachments at the time of delivery to the original purchaser, to be free from defects in material and workmanship when properly set up and operated in accordance with the recommendations set forth by LOFLIN. LOFLIN'S liability for any defect with respect to accepted goods shall be limited to repairing the goods at a LOFLIN designated location or at an authorized dealer location, or replacing them as LOFLIN shall elect. The above shall be in accordance with LOFLIN warranty adjustment policies. LOFLIN'S obligation shall terminate twelve (12) months after the delivery of the goods to original purchaser. This warranty shall not apply to any

machine or attachment which shall have been repaired or altered outside the LOFLIN factory or authorized LOFLIN dealership or in any way so as in LOFLIN'S judgment, to affect its stability or reliability, nor which has been subject to misuse, negligence or accident beyond the Company recommended machine rated capacity.

WARRANTY CLAIM

To submit a warranty claim, a return authorization from LOFLIN must be obtained. The failed part may then be returned in an untampered status. This warranty does not include freight or delivery charges incurred when returning machinery for servicing. Dealer mileage, service calls and pick-up/delivery charges are the customer's responsibility.

WARRANTY INFORMATION

EXCLUSIONS OF WARRANTY

Except as otherwise expressly stated herein, LOFLIN makes no representation or warranty of any kind, expressed or implied, AND MAKES NO WARRANTY OF MERCHANTABILITY IN RESPECT TO ITS MACHINERY AND/OR ATTACHMENTS ARE FIT FOR ANY PARTICULAR PURPOSE. LOFLIN shall not be liable for incidental or consequential damages for any breach or warranty, including but not limited to inconvenience, rental or replacement equipment, loss of profits or other commercial loss. Upon purchase the buyer assumes

all liability for all personal injury and property resulting from the handling, possession or use of the goods by the buyer. No agent, employee, or representative of LOFLIN has any authority to bind LOFLIN to any affirmation, representation or warranty concerning its machinery and/or attachments except as specifically set forth herein. This warranty policy supersedes any previous documents dated prior to 12-31-2001.



Toll Free: 1-866-859-4333





1379 Cranford Road Denton, North Carolina 27239 Toll Free: 1.866.859.4333 www.loflinfabrication.com

